DEP Form FD 9000-3 Physical/Chemical Characterization Field Sheet

SAMPLE ID: Rosalie Creek | ORG ID: ExtBio03USFWI | LATITUDE: 27.91904773
COUNTY: POLK | STORET #: | LONGITUDE: -81.38275218
DATE: 4/14/26 | TIME: 10:00 | SAMPLING AGENCY: USFWI
SITE NAME: Rosalie Creek
FIELD ID/NAME: Rosalie Creek | RECEIVING BODY OF WATER: Tiger Lake

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category) :

Forest/Natural	Silviculture	Field/Pasture	Agricultural	Residential	Commercial	Industry	Other (Specify)
48.35%		18.12%	26.91%	4.94%			

Landscape Development Intensity Index (LDI): 2.57

Local Watershed Erosion (select one) : ☒ None ☐ Slight ☐ Moderate ☐ Heavy

Local Watershed NPS Pollution : ☒ No evidence ☐ Slight ☐ Moderate ☐ Heavy

Width of Riparian Vegetation (m) on Each Buffer Side
Left Bank : 100 Right Bank : 100

Hydrologic Modification Score (per FT 3101): 2

High Water Mark: 0.6 (m) + 0.7 (above present water level) = 1.3 (present depth) (above bed)

Artificially Impounded ☐ Yes ☒ No

Typical Width (m) Depth (m)/Velocity (m/sec) Transect

13.7 m wide

0.2 m/s	0.22 m/s	0.21 m/s
0.2 m deep	0.6 m deep	0.2 m deep

Artificially Channelized : ☒ No ☐ Some recovery ☐ Mostly recovered, more sinuous ☐ Recent, severe

Canopy Cover % ☐ Open ☒ Lightly Shaded (11-45%) ☐ Heavily Shaded ☐ Moderate Shaded (46-80%)

SEDIMENT / SUBSTRATE

Sediment Oils ☒ Absent ☐ Slight ☐ Moderate ☐ Profuse

Sediment Odors ☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Anaerobic ☐ Other (Specify) :

Smothering of Substrates

	None	Slight	Moderate	Severe
Sand Smothering:	☐	☒	☐	☐
Silt Smothering:	☒	☐	☐	☐
Algae Smothering:	☒	☐	☐	☐

SUBSTRATE TYPE

Assessment Tool: ☒ SCI ☒ RPS ☒ LVS ☐ LCI ☐ BioRecon

	% Coverage	INVERT # Times Sampled	PERI # Times Sampled
Woody Debris (Snags)	2.3	7	
Undercut Banks / Roots	0.6	7	
Leaf Packs or Mat	0.1		
Aquatic Vegetation			
Rock or Shell Rubble..	25	3	
Sand.....	70	3	
Mud / Muck / Silt			
Other			
Other			

WATER QUALITY

	Depth (M)	Temp. (°C)	pH (SU)	D.O. (MG/L)	D.O. Sat (%)	Cond. (UMHO/CM)	Salinity (PPT)
Top :	0.31	23.95	8.0	8.76	108	155.8	0.07
Mid:							
Bottom							

Secchi (M): 0.6 ☐ VOB

Total Depth: 0.5

Meter ID: USFWI Manta 2

Water Odors Normal ☒ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐

Water Surface Oils Normal ☒ Sheen ☐ Globs ☐ Slick ☐ Other ☐

Water Sample Taken? ☐ Yes ☒ No
Sample Preserved? ☐ Yes ☒ No
Lot Number:_____ Exp:_____

Color Tannic ☒ Green (Algae) ☒ Clear ☐ Other (Specify) ☐

Algae Sample Taken? ☐ Yes ☒ No
Sample Preserved? ☐ Yes ☒ No
Lot Number:_____ Exp:_____

Clarity Clear ☐ Slightly Turbid ☐ Turbid ☒ Opaque ☐

ABUNDANCE

	Not Obs.	Rare	Common	Abundant
Periphyton:	☐	☒	☐	☐
Fish:	☐	☐	☒	☐
Aquatic Plants:	☐	☐	☒	☐
Iron/Sulfur Bacteria:	☐	☒	☐	☐


System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other(Specify) ☐

AMBIENT FIELD CONDITIONS / NOTES:

☒ The antecedent hydrologic conditions have been met to my best knowledge.

SAMPLING TEAM: David Eilers, Shreya Srinivas, Andrea Miranda | **SIGNATURE :** | **DATE :** 4/14/26

Stream/River Habitat Sketch Sheet, Form FD 9000-4 (March07, 2013)
Length of grid represents 100 m of stream (not linear meters).
(Horizontal scale is double vertical scale, draw proportionately).



Downstream

Location: Rosalie Creek

Date: 4/14/26

Samplers: D Eilers, A Miranda, S Srinivas

Substrates: Code key, draw proportionate habitat abundance. %

1	Snags 31	2.5
3	Roots/undercut banks 8.75	
9	Leaf Packs (or mats) .5	
	Macrophytes	
	Total observed 0	
P	Pools Range expected 0-1	

Velocity measured at 0.22 **meter mark.** 13.7

WQ & chemistry taken at 28 **meter mark.**

Habitat Smothering:
Note areas (on map) where sand or silt is smothering substrates, limiting habitability.

Bank Stability:
Note areas (on map) with unstable, eroding banks.

Riparian Buffer Width:____
Note areas (on map) where natural vegetation is altered or eliminated.

Plants observed/other notes:

Prod. hab	1	2	3	4	5
Sweeps (Maj)	10	7	5	4	3
Sweeps (Min)	10	6	5	4	5

>18

>18

DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

SAMPLING AGENCY:		STORET STATION NUMBER:	DATE (MM/DD/YY):	RECEIVING BODY OF WATER:
USFWS			4/14/26	Tiger Lake
REMARKS:	COUNTY: Polk	LOCATION: Rosalie Creek		FIELD ID/NAME: Rosalie Creek

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components **Substrate Diversity** 10	Four or more major productive habitats present [snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock] 20 19 18 17 16	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags) 15 14 13 12 11	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed 10 9 8 7 6	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered 5 4 3 2 1
Substrate Availability 3	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 7 6	Less than 5% major productive habitat 5 4 3 2 1
Water Velocity 14	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 12 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering 14 Primary Score 41	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 13 12 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components **Artificial Channelization** 19	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks. 20 19 18 17 16	Good sinuosity within old channelized area. Evidence of dredging in the past (>25 yrs) but mostly recovered. 15 14 13 12 11	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area. 10 9 8 7 6	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks. 5 4 3 2 1
Bank Stability Right Bank 16 Left Bank 10	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankful to top of bank. Bankfull is within or above the root zone with few raw, eroded areas. 10 9	Only meets 2 of the 3 requirements for optimal bank stability. 8 7 6	Only meets 1 of the 3 requirements for optimal bank stability. 5 4	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the root zone with raw, eroded areas. 3 2 1
Riparian Buffer Zone Width Right Bank 10 Left Bank 10	Width of vegetation greater than 18 m 10 9	Width of vegetation >12 to 18m 8 7 6	Width of vegetation 6 to 12 m. human activities close to system 5 4	Less than 6 m of buffer zone due to intensive human activities 3 2 1
Riparian Zone Vegetation Quality Right Bank 9 Left Bank 9 Secondary Score 77	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance. 10 9	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed. 8 7 6	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious. 5 4	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). 3 2 1

118 **TOTAL SCORE**

Date: 4/14/26	Analyst: David Ehlers	Signature:

DEP FORM FD 9000-25 Rapid Periphyton Survey Field Sheet

Site:	County:	Date:	Investigators:
Rosalie Creek	Polk	4/14/26	D Eilers

STORET Station Number:

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover
0	1	N		
	2	N		
	3	N		
	4	N		
	5	N		5
	6	N		
	7	N		
	8	N		
	9	N		
10	1	N		
	2	N		
	3	N		
	4	N		
	5	N		35
	6	N		
	7	N		
	8	N		
	9	N		
20	1	N		
	2	N		
	3	N		
	4	N		
	5	N		45
	6	N		
	7	N		
	8	N		
	9	N		
30	1	N		
	2	N		
	3	N		
	4	N		
	5	N		18
	6	N		
	7	N		
	8	N		
	9	N		
40	1	N		
	2	N		
	3	N		
	4	N		
	5	N		36
	6	N		
	7	N		
	8	N		
	9	N		
50	1	N		
	2	N		
	3	N		
	4	N		
	5	N		42
	6	N		
	7	N		
	8	N		
	9	N		

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover
60	1	N		
	2	N		
	3	N		
	4	N		
	5	N		45
	6	N		
	7	N		
	8	N		
	9	N		
70	1	N		
	2	N		
	3	N		
	4	N		
	5	N		18
	6	N		
	7	N		
	8	N		
	9	N		
80	1	N		
	2	N		
	3	N		
	4	N		
	5	N		16
	6	N		
	7	N		
	8	N		
	9	N		
90	1	N		
	2	N		
	3	N		
	4	N		
	5	N		45
	6	N		
	7	N		
	8	N		
	9	N		
100	1	N		
	2	N		
	3	N		
	4	N		
	5	N		37
	6	N		
	7	N		
	8	N		
	9	N		

Secchi depth	0.6
Estimated?	

# points ranked 4-6	0
total points assessed	99
% points ranked 4-6	0

Check accompanying data collected at same site/date.	
Algal mat sample	
Linear Veg Survey	✓
Habitat Assessment	✓
SCI/Biorecon	✓
Water sample	
RQ-	

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached.

Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank.

Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6.

Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.

DEP FORM FD 9000-32: LINEAR VEGETATION SURVEY FIELD SHEET

Waterbody: Rosalie Creek	Date: 4/14/26	County: Polk	Storet Number:
Analyst: David E. Ilers		Signature:	

Comments:

Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if $1m^2$ of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names.

HERBACEOUS SPECIES	Meter Mark 0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100	Specimen collected (check)
Alternanthera philoxeroides	✓	✓	✓	✓	✓	✓	✓		✓	✓	
Bacopa caroliniana											
Bacopa monneri											
Bidens mitis											
Boehmeria cylindrica											
Centella asiatica											
Ceratophyllum demersum											
Chara											
Cicuta maculata											
Cladium jamaicense											
Colocasia esculenta											
Commelina diffusa											
Commelina virginica											
Crinum americanum											
Diodia virginiana											
Eichhornia crassipes	✓	✓	✓	✓	✓	✓	✓			✓	
Eleocharis (wispy viviparous)											
Hydrilla verticillata											
Hydrocotle											
Hygrophila polysperma											
Hymenocallis											
Lachnanthes caroliniana											
Landoltia punctata											
Lemna	✓			✓							
Limnophila sessiflora											
Ludwigia leptocarpa											
Ludwigia palustris											
Ludwigia peruviana											
Ludwigia repens											
Luziola fluitans											
If no Dominant or Co-Dominant were selected, indicate with "X"		X									
Indicate % cover macrophytes per section											
0-5% Macrophyte Coverage											
>5 and ≤10% Macrophyte Coverage	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
>10 and ≤25% Macrophyte Coverage											
>25 and ≤50% Macrophyte Coverage											
> 50% Macrophyte Coverage											

HERBACEOUS SPECIES	Meter Mark 0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100	Specimen collected (check)
Micranthemum glomeratum											
Micranthemum umbrosum											
Myriophyllum aquaticum											
Najas guadelupensis											
Nuphar luteum											
Orontium aquaticum											
Panicum hemitomon							✓				
Panicum repens											
Panicum rigidulum											
Pistia stratioides	✓		✓	✓	✓	✓				✓	
Polygonum glabra											
Polygonum hydropiperoides	✓										
Polygonum punctatum											
Pontedaria cordata											
Potamogeton illinoensis											
Ruellia simplex											
Sacciolepis striata											
Sagittaria kurziana											
Sagittaria lancifolia											
Sagittaria latifolia											
Salvinia minima											
Samolus parviflora											
Saururus cernuus											
Sparganium americanum											
Typha	✓							✓	✓		
Vallisneria americana											
Zizania aquatica											
Zizaniopsis miliacea	D	D	D	D	D	D	D	D	D	D	
Mikania scandens						✓					